shineon

Juko Series IP66 Sensored and Dimmable LED Batten

The Shine On Juko IP66 Sensored and Dimmable LED Batten provides the perfect blend of highly efficient LED lighting technology with intelligent lighting control including motion, standby dimming and ambient light options. It boasts an impactresistant IP66 rated polycarbonate enclosure, which encases a premium constant current driver. When combined with the latest LG 2835 LED chips, it delivers a market-leading 125 lumens per watt. This is the ultimate smart lighting solution for demanding outdoor, dirty or wet environments.



FEATURES AND BENEFITS

- High IK08 impact and corrosion-resistant polycarbonate housing. Suitable for the most demanding applications.
- Very high IP66 ingress protection. Suitable for outdoor, wet or dusty environments.
- Latest generation LG 2835 LED chips. Delivers up to 125 lumens per watt through a low glare polycarbonate diffuser.
- Incorporates premium motion sensor and daylight linked control solution. Includes configurable options for sensitivity, standby dimming levels, hold periods and ambient light levels.
- Optimised for retrofit solutions. Quick and easy installation with multiple wiring options.
- Suitable for surface mounted and suspended applications.

PRODUCT DETAIL



Latest generation 2835 LED chips.

SPECIFICATIONS

Model	TPF-M2-SDIM-1200-25W-65
Size	1,200mm
Power consumption	25W
Output	3,125 lm
Colour temperature	6,500K
Efficiency	125 lm/W
CRI	>80
Beam angle	120°
IP rating	IP66
Lifetime rating	50,000 hours
Warranty	Five years
Source	Stock

INDUSTRIES



Industrial and retail.





Fluorescent.



Sensored and dimmable driver.

SENSOR SETTINGS

	1 <i>5</i> W	25W
Hold time	5s/ 90s/ 3min/ 10min	5s/90s/ 5min/ 25min
Standby period	Os/ 30s/ 10min/ +∞	1min/ 5min/ 25min/ +∞
Standby DIM level	10%/ 25%	0%/ 10%/ 25%/ 50%